



BI-LEVEL MODULAR RADII W/ MECHANICAL BOTTLE FILLER MMRSLSBF

Suggested Specification

Model MMRSLSBF shall deliver room temperature water to a bi-level modular fountain. Shall include two antimicrobial copper push buttons to activate the flow of water and low flow one piece bubblers with flexible guards. The fountains shall be designed to eliminate splashing and standing water. Water saver bubbler reduce waste water by 50% and shall have flexible guard and operate between 20 and 100 PSI. Shall include VersaFiller Mechanical Bottle Filler with independent manual activation. VersaFiller components contain Freshield®, which utilizes a silver-based antimicrobial compound that reduces the growth of micro-organisms and mildew to protect the surfaces from discoloration, odors and degradation Cabinet finish shall be brushed stainless steel. Shall comply with ANSI 117.1 and ADA. Shall be listed by Underwriters Laboratories to US and Canadian standards. Shall comply with ANSI/NSF 61 and NSF/ANSI 372.

Models

MMRSLSBF delivers water to dual height fountain and bottle filler

Standard Features

- Built-in 100 micron strainer stops particles before they enter the waterway
- Two antimicrobial push buttons
- Mechanical bottle filler
- Waterways are Lead-Free in materials & construction
- Flexible bubbler guard
- Brushed stainless steel finish

Finishes

- Standard cabinet finish: Stainless steel

Installation

- Prior to roughing consult with local, state and federal codes for proper mounting height
- Shipped with complete instructions and wall mounting bracket
- Wall mounting frame is furnished for easy installation
- Frame allows for universal installation
- Recessed mounting frame included, but water supply and drain required



Options (at additional cost)

- Oasis green filter system
- One piece chrome plated brass bubbler (036700-001)

Limited 1-Year Warranty

(Continental limits of the United States and Canada)
One year from date of installation on parts only. Detailed warranty certificate enclosed with each water cooler; sample available upon request.

Export Warranty

One year on components parts. Detailed warranty certificate enclosed with each drinking fountain; sample copy available upon request.

Certifications/Compliance

- Oasis International Electric Water Coolers are listed by Underwriters Laboratories Inc. and comply with both U.S. and Canadian Requirements.
- Product Certified to NSF/ANSI Standard 61-G & 372 and conforms with the lead content requirements for "Lead Free" plumbing as defined by California, Vermont, Maryland, and Louisiana state laws and the U.S. Safe Drinking Water Act.
- This unit complies with ARI standard 1010 Testing, Operating and Rating requirements (electric water coolers only).
- These water coolers comply with the requirements of ADA (Americans with Disabilities Act) when properly installed.




Model	50° F Drinking Water 90° F Ambient Air Temp*			Hot'N Cold Model	115 Volts, 60 HZ			Glass Filler Acc. Option	Cabinet Color Finish	Net Wt. Approx
	Rated Capacity GHP	Base Rate GHP	Pre-Cooler		Compr. HP	Full Load Amps	Rated Watts			
MMRSLSBF	0.0	0.0	No	No	No	No	No	No	No	80 Lbs

* Industry standard rating condition 80° F inlet water temperature

Specifications subject to change without notice

OASIS BI-LEVEL MODULAR RADII WITH MECHANICAL BOTTLE FILLER MMRLSBSF



Oasis International, 222 East Campus View Blvd., Columbus, OH 43235
 For customer service and technical help line assistance call: 800.950.3226



www.oasiscoolers.com

Oasis, VersaCooler, Freshfield and VersaFilter are registered trademarks of LYD Acquisition, LLC dba Oasis International. © 2016 LYD Acquisition