



## Sustainable Campus Hydration

Bottle Fillers, Pressure Coolers & Fountains



## BUILDING A MORE SUSTAINABLE WORLD MEANS USING THE RESOURCES WE HAVE MORE WISELY.

Perhaps no generation understands this promise better than the one entering college right now.

Today's students are standing up and demanding a more responsible use of our precious water resources. It's why greater numbers of universities are requiring the use of refillable water containers on campus. Some schools even issue a reusable water bottle to each incoming freshman. Luckily, OASIS makes it easy to join the campus sustainability movement.

### IT STARTS NOW.



**A REUSABLE WATER BOTTLE IS A SIMPLE AND AFFORDABLE ALTERNATIVE THAT CAN SAVE FINANCIAL RESOURCES AND THE PLANET'S RESOURCES**



#### WATER IS THE KING OF BETTER-FOR-YOU-BEVERAGES:


- Zero sugar
- Zero chemical additives
- Zero artificial colors
- Zero high fructose corn syrup
- Zero calories



### PURE DRINKING WATER MATTERS

Drinking water sources can harbor harmful bacteria and organisms. Giardia is a microscopic parasite that produces cysts which, when consumed in drinking water, can cause severe gastrointestinal illness. Giardia infection (giardiasis) is one of the most common causes of waterborne disease in the United States, according to the Mayo Clinic.

### OASIS VERSAFILTER® FILTRATION SYSTEM WITH MAXIMUM CONTAMINANT REDUCTION




**NSF** Tested and certified to NSF/ANSI Standard 53 for lead and cyst reduction. Tested and certified to NSF/ANSI Standard 42 for chlorine taste and odor reduction.



WATER IS THE PUREST FORM OF HYDRATION. OASIS KEEPS IT THAT WAY.

#### OASIS®:

- **PROMOTES** THE SUSTAINABLE USE OF WATER.
- **INCREASES** USAGE OF REFILLABLE BOTTLES.
- **COOLS AND PURIFIES** WITH MINIMUM BURDEN ON THE POWER GRID.



#### Purity and the OASIS® Filtration Process

- Most of the U.S. has excellent tap water, but once it enters many buildings, contamination can occur. Per liter, approximately 100 million bacteria are floating in the water lines of most buildings.
- Low flow can cause stagnation, feed bacteria, and even cause lead to leach into water.

OASIS leads the industry in filtration science and we will work with your team to ensure proper filtration protocols are met. The OASIS filtration process uses electro-adhesion to trap ultra-fine particles down to an incredible 0.02 microns.



# TOTAL FACILITY ANALYSIS

We offer a holistic, 360-degree view that tells you precisely where and how water needs to be available.

Our experts look at your entire campus, from academic facilities and residence halls to foodservice and athletic complexes. We make individualized recommendations based on usage, floor plan, traffic density, and more. The end result is a plan that

makes the most efficient use of available space and resources.

The plan is a valuable tool for your facility director, foodservice director, head of maintenance, and more. Whether in new, existing, or expanding campuses, OASIS® trained field representatives provide comprehensive drinking water system analysis for our qualifying customers.



Areas For Water Stations	 Bottle Fillers	 Fountains	 Point-of-Use Coolers	 Bottle Coolers
Athletic Facilities	●	●		
Student Residences	●	●		
Academic Buildings	●	●	●	●
Dining Halls		●		
Libraries	●	●	●	
Student Unions	●	●		
Administrative Buildings	●	●	●	●



OASIS® offers a full suite of products for public areas such as drinking fountains, water coolers, bottle fillers, bottleless coolers, and under-counter coolers. Our solutions can be hard-piped in, free-standing, mounted on floors or walls, and placed in high-traffic areas or tucked away. Options include touch-free, antimicrobial, self-cleaning, and more.



## ELECTRONIC VERSAFILLER® BOTTLE FILLERS AND VERSACOOLER® II

### BARRIER-FREE VERSACOOLER II/ELECTRONIC BOTTLE FILLER COMBO




#### Standard Features

- Fountain with integrated, hands-free bottle filler with programmable shut-off timer
- Integrated bottle counter and filter monitor
- Four antimicrobial copper push pads
- VersaFilter® for better-tasting water with reduced odor, cyst, lead, and chlorine content (on PGF8EBF STN and PGFEBF STN only)
- 100-micron strainer stops particles before they enter the waterway
- Waterways are lead-free in materials and construction
- Stainless steel top and frame
- High-efficiency cooling system and refrigerant R-134a
- Antimicrobial, flexible, one-piece water-saver bubbler; external stream-height adjustment
- Product is certified to NSF/ANSI 61-G and 372

#### Look for this icon!

OASIS® has the only EPA-registered, antimicrobial copper touch points for its comprehensive line of water coolers and fountains.



Model	50° F Drinking Water/90° F Ambient Air Temp				115 Volts, 60HZ			Auto-Off Water Flow	Cabinet Color Option*	Net Wt. Approx
	Rated Capacity GPH	Base Rate GPH	Pre-Cooler	Hot N' Cold Model	Compr. HP	Full Load Amps	Rated Watts			
PG8EBF STN	8.0	8.0	No	No	1/4	4.6	460	Yes	Yes	79 lbs
PGEBF STN	Fountain Only							Yes	Yes	59 lbs
PGF8EBF STN	8.0	8.0	No	No	1/4	4.6	460	Yes	Yes	80 lbs
PGFEBF STN	Fountain Only							Yes	Yes	60 lbs

\*Also available with sandstone finish and copper top and nose.



### BI-LEVEL BARRIER-FREE VERSACOOLER II/ELECTRONIC BOTTLE FILLER COMBO



#### Standard Features

- Fountain with integrated, hands-free bottle filler with programmable shut-off timer
- Integrated bottle counter and filter monitor
- Four antimicrobial copper push pads
- VersaFilter® for better-tasting water with reduced odor, cyst, lead, and chlorine content (on PGF8EBFSL and PGFEBFSL only)
- 100-micron strainer stops particles before they enter the waterway
- Waterways are lead-free in materials and construction
- Stainless steel top and sandstone frame
- High-efficiency cooling system and refrigerant R-134a
- Antimicrobial, flexible, one-piece water-saver bubbler; external stream-height adjustment
- Universal bi-level: can be installed left high and right low or right high and left low
- Product is certified to NSF/ANSI 61-G and 372

Model	50° F Drinking Water/90° F Ambient Air Temp				115 Volts, 60HZ			Auto-Off Water Flow	Cabinet Color Option*	Net Wt. Approx
	Rated Capacity GPH	Base Rate GPH	Pre-Cooler	Hot N' Cold Model	Compr. HP	Full Load Amps	Rated Watts			
PG8EBFSL	8.0	8.0	No	No	1/4	4.6	460	Yes	Yes	109 lbs
PGEBFSL	Fountain Only							Yes	Yes	89 lbs
PGF8EBFSL	8.0	8.0	No	No	1/4	4.6	460	Yes	Yes	110 lbs
PGFEBFSL	Fountain Only							Yes	Yes	90 lbs



#### Look for this icon!

FRESHIELD® IS A SILVER-BASED ANTIMICROBIAL COMPOUND THAT PROTECTS THE SURFACES FROM DISCOLORATION, ODORS, AND DEGRADATION CAUSED BY THE GROWTH OF MICROORGANISMS AND MILDEW.

## ELECTRONIC VERSAFILLER® BOTTLE FILLERS

### RETROFIT – ADAPTS TO ALL EXISTING PG8AC/P8AM UNITS



#### Standard Features

- Adapter gasket allows the bottle filler to install onto today's most common water coolers
- Molded components are infused with FRESHIELD® to help fight degradation caused by the growth of bacteria
- Self-draining design does not require additional plumbing into the wall
- VersaFiller: Electronic sensor for touch-free activation
- Integrated back-lit bottle counter reminds you of the global impact of each refill
- Built-in LED monitor reminds you when filters need to be changed
- Programmable shut-off feature allows you to select how much water is used with each activation
- Waterways are lead-free in materials and construction
- Surface-mount frame assembly
- Product is certified to NSF/ANSI 61-G and 372

Model	50° F Drinking Water/90° F Ambient Air Temp				115 Volts, 60HZ			Auto-Off Water Flow	Cabinet Color Option	Net Wt. Approx
	Rated Capacity GPH	Base Rate GPH	Pre-Cooler	Hot N' Cold Model	Compr. HP	Full Load Amps	Rated Watts			
PWEBF	0	0	No	No		.20	11	Yes		15 lbs

\*Also available with mechanical activation (PWSBF).



### INDEPENDENT SURFACE MOUNT, SPACE SAVER (NON-REFRIGERATED)



#### Standard Features

- Slim and space-saving design
- Molded components are infused with FRESHIELD® to help fight degradation caused by the growth of bacteria
- Built-in 100-micron strainer stops particles before they enter the waterway
- Waterways are lead-free in materials and construction
- Heavy-duty steel frame
- Hands-free bottle filler with 20-second shut-off, integrated counter and filter monitor
- Built-in drain – NO drip tray to empty
- Also available with optional R8 chiller
- Product is certified to NSF/ANSI 61-G and 372

Model	50° F Drinking Water/90° F Ambient Air Temp				115 Volts, 60HZ			Auto-Off Water Flow	Cabinet Color Option	Net Wt. Approx
	Rated Capacity GPH	Base Rate GPH	Pre-Cooler	Hot N' Cold Model	Compr. HP	Full Load Amps	Rated Watts			
PWSMEBF	0	0	No	No		.20	11	Yes	No	15 lbs

\*Also available with mechanical activation (PWSMSBF).



## MECHANICAL AQUA POINTE® SPORTS BOTTLE FILLER

### Mechanical Activation

Hydration assured during power outages! All products on pages 8-9 feature mechanical activation. Only OASIS® has EVERY bottle filler configuration available as mechanical or electronic activation. Works without electricity!



### MECHANICAL BOTTLE FILLER/RADII FOUNTAIN



#### Standard Features

- Molded components contain FRESHIELD®, which utilizes a silver-based antimicrobial that reduces the growth of microorganisms and mildew to protect the surfaces from discoloration, odors, and degradation
- Built-in 100-micron strainer stops particles before they enter the waterway
- Waterways are lead-free in materials and construction
- Flexible one-piece antimicrobial water-saver bubbler
- High-efficiency cooling system
- External stream-height adjustment on lower unit
- Mechanically activated push button
- Filtration system for taste, odor and chlorine reduction
- Product is certified to NSF/ANSI 61-G and 372

Model	50° F Drinking Water/90° F Ambient Air Temp		115 Volts, 60HZ			Cabinet Color Option*	Net Wt. Approx
	Rated Capacity GPH	Base Rate GPH	Compr. HP	Full Load Amps	Rated Watts		
MGSBF	No Chiller					Yes	92 lbs
MG8SBF	8.0	8.0	1/4	4.9	500	Yes	150 lbs
MG12SBF	12.0	12.0	1/3	5.5	550	Yes	152 lbs

\*Also available with electronic bottle filler.



### MECHANICAL BOTTLE FILLER WITH FRAME ASSEMBLY



#### Standard Features

- Molded components are infused with FRESHIELD® to help fight degradation caused by the growth of bacteria
- Built-in 100-micron strainer stops particles before they enter the waterway
- Waterways are lead-free in materials and construction
- Heavy-duty steel frame
- High-efficiency cooling tank and coil
- Refrigerant R-134a
- Mechanically activated push button
- Filtration system for taste, odor and chlorine reduction
- Product is certified to NSF/ANSI 61-G and 372

Model	50° F Drinking Water/90° F Ambient Air Temp		115 Volts, 60HZ			Cabinet Color Option*	Net Wt. Approx
	Rated Capacity GPH	Base Rate GPH	Compr. HP	Full Load Amps	Rated Watts		
MWGSBF	No Chiller					Yes	45 lbs
MWG8SBF	8.0	8.0	1/4	4.9	500	Yes	103 lbs
MWG12SBF	12.0	12.0	1/3	5.5	550	Yes	105 lbs

\*Also available with electronic bottle filler.



## SURFACE MOUNT MECHANICAL BOTTLE FILLER WITH TRIM BEZEL



#### Standard Features

- Molded components are infused with FRESHIELD® to help fight degradation caused by the growth of bacteria
- Built-in 100-micron strainer stops particles before they enter the waterway
- Waterways are lead-free in materials and construction
- Heavy-duty steel frame
- High-efficiency cooling tank and coil
- Refrigerant R-134a
- Mechanically activated push button
- Filtration system for taste, odor and chlorine reduction
- Product is certified to NSF/ANSI 61-G and 372

Model	50° F Drinking Water/90° F Ambient Air Temp		115 Volts, 60HZ			Cabinet Color Option*	Net Wt. Approx
	Rated Capacity GPH	Base Rate GPH	Compr. HP	Full Load Amps	Rated Watts		
MWSMGSBF	No Chiller					Yes	45 lbs
MWSMG8SBF	8.0	8.0	1/5	4.9	500	Yes	103 lbs
MWSMG12SBF	12.0	12.0	1/5	5.5	550	Yes	105 lbs

\*Also available with electronic bottle filler.



# FOUNTAINS

There's an OASIS® Versacooler® II drinking fountain model to fit your specific needs, whether you desire refrigerated or non-refrigerated and/or filtered or non-filtered water. Every fountain basin is designed to eliminate splashing and standing water and features a water-saver bubbler to reduce waste water by 50%.

Look for this icon!

OASIS® has the only EPA-registered, antimicrobial copper touch points for its comprehensive line of water coolers and fountains.



## VERSACOOLER® II – ENERGY AND WATER CONSERVATION FOUNTAINS

### BARRIER FREE, ADA, SINGLE & BI-LEVEL FOUNTAINS



#### Standard Features

- Four antimicrobial copper push pads
- Antimicrobial flex bubbler
- ADA-compliant for both adult and child when properly installed
- Built-in 100-micron strainer stops particles before they enter the waterway
- Waterways are lead-free in materials and construction
- Flexible one-piece water-saver bubbler
- Stainless steel top and heavy-duty galvanized steel frame
- High-efficiency cooling system
- External stream-height adjustment
- Product is certified to NSF/ANSI 61-G and 372

Model	Filtration	50° F Drinking Water/90° F Ambient Air Temp			Hot N' Cold Model	115 Volts, 60HZ			Auto-Off Water Flow	Cabinet Color Option	Net Wt. Approx
		Rated Capacity GPH	Base Rate GPH	Pre-Cooler		Compr. HP	Full Load Amps	Rated Watts			
PG8AC	Sandstone, No Filter	8.0	8.0	No	No	1/4	4.6	460	Yes	Yes	64 lbs
PGAC	Sandstone, No Filter	Fountain Only							Yes	Yes	34 lbs
PGF8AC	Sandstone, Filtered	8.0	8.0	No	No	1/4	4.6	460	Yes	Yes	65 lbs
PGFAC	Sandstone, Filtered	Fountain Only							Yes	Yes	35 lbs
PG8AC STN	Stainless Steel, No Filter	8.0	8.0	No	No	1/4	4.6	460	Yes	Yes	64 lbs
PGAC STN	Stainless Steel No Filter	Fountain Only							Yes	Yes	34 lbs
PGF8AC STN	Stainless Steel, Filtered	8.0	8.0	No	No	1/4	4.6	460	Yes	Yes	65 lbs
PGFAC STN	Stainless Steel Filtered	Fountain Only							Yes	Yes	35 lbs

Universal Bi-Level – Modular installation. Can be installed left low and right high or left high and right low.											
PG8ACSL	Sandstone, No Filter	8.0	8.0	No	No	1/4	4.6	460	Yes	Yes	94 lbs
PGACSL	Sandstone, No Filter	Fountain Only							Yes	Yes	64 lbs
PGF8ACSL	Sandstone, Filtered	8.0	8.0	No	No	1/4	4.6	460	Yes	Yes	95 lbs
PGFACSL	Sandstone, Filtered	Fountain Only							Yes	Yes	65 lbs
PG8ACSL STN	Stainless Steel, No Filter	8.0	8.0	No	No	1/4	4.6	460	Yes	Yes	94 lbs
PGACSL STN	Stainless Steel No Filter	Fountain Only							Yes	Yes	64 lbs
PGF8ACSL STN	Stainless Steel Filtered	8.0	8.0	No	No	1/4	4.6	460	Yes	Yes	95 lbs
PGFACSL STN	Stainless Steel Filtered	Fountain Only							Yes	Yes	65 lbs



# FOUNTAINS

ANTIMICROBIAL COPPER top, front nose, and push pads



## VERSACOOLER® II – FOUNTAINS, ANTIMICROBIAL COPPER OPTION

#### Standard Features

- MD-Cu29 antimicrobial copper top, front nose, and push pads (if mechanical activation)
- Antimicrobial flex bubbler
- Optional touch-free activation with hands-down technology under the front nose
- Lead-free waterways
- NSF/ANSI 372
- Built-in 100-micron strainer stops particles before they enter the waterway
- Available with or without refrigeration system
- Product is certified to NSF/ANSI 61-G and 372

By choosing fixtures and other touch surfaces made from antimicrobial copper, you can continuously kill pathogenic microbes and provide an additional weapon in the fight against infections.



Copper Versacooler II, Options	
PG8AC CSTN	Cooler
PGAC CSTN	Fountain Only
PG8ACT CSTN	Touch-free, Cooler
PGACT CSTN	Touch-free, Fountain Only
PG8ACSL CSTN	Bi-level, Cooler
PGACSL CSTN	Bi-level, Fountain Only

Copper Versacooler II, Options	
PG8EBFSL CSTN	Bi-level, Cooler, with Electronic Bottle Filler
PGEBFSL CSTN	Bi-level, Fountain Only, with Electronic Bottle Filler
PG8SBF CSTN	Stacked, Cooler with Mechanical Bottle Filler
PGSBF CSTN	Stacked, Fountain Only with Mechanical Bottle Filler



PG8AC CSTN

PG8ACT CSTN

PG8ACSL CSTN



PG8EBFSL CSTN

PG8SBF CSTN

## BIODEGRADABLE GREEN FILTRATION SYSTEM

Improve the taste and quality of your drinking, cooking, and beverage-making water. OASIS® provides a superior green filter system that eliminates bad tastes, odors, and sediments, delivering great-tasting water without the hassle or price of other filtration systems.

Use everywhere you want great-tasting, filtered-fresh water: under-sink filtration, coffee machines, refrigerators, drinking fountains, point-of-use water coolers.

### OASIS GALAXI FILTER

The Galaxi's unique filter design combines activated carbon with a cellulose-free synthetic fiber matrix. Superior to traditional active carbon filter elements, the Galaxi takes water filtration to the next level.

- Performs as a sediment filter and a carbon block in a single cartridge
- Dramatically improves chlorine taste and odor reduction
- Reduced blocking improves dirt-holding capacity
- Prevents carbon fines from being released into the water stream
- Reduces lead and cysts
- Contains bacteriostatic properties
- Available with phosphate to remove scale for hard water in hot water applications



Order #	Part
036930-001	Kit for PG8AC Series Quarter Turn EZ system
036930-002	Kit for Other Series Quarter Turn EZ system
036930-003	Kit for line filtration
037116-101	Galaxi filter replacement cartridge (for the above system)



## OASIS VERSAFILTER® SYSTEM


OASIS water coolers, when equipped with the VersaFilter System, provide a flexible water treatment solution that effectively reduces chlorine, odor, lead, and cysts. It improves the taste and appearance of drinking water as well as offering the highest performance in the most user-friendly package available.

### OASIS VERSAFILTER

1. Spun polypropylene prefilter wrap extends the life of the filter by protecting the media from premature plugging due to sediment.
2. Unique formulation of powdered carbon plus patented lead-reduction media for high-performance filtration. Compression molded into a tight block for maximum contaminant and cyst reduction.
3. Triple O-ring seal ensures no bypass.
4. Radial flow-through filter design utilizes entire media area for maximum performance and minimal pressure drop.
5. Patented shut-off valve engages automatically as filter is inserted or removed.
6. Self-contained sealed cartridge ensures that hands do not touch filter media, reducing the potential for introducing bacteria.

The OASIS VersaFilter is easily accessible from inside the cooler for fast and easy filter changes. An automatic shut-off inside the filter eliminates the need to locate the water valve. Durable constructed, VersaFilter is designed to last 1,250 gallons or approximately six months.

- Reduces CHLORINE by 97% (ANSI/NSF 42)
- Reduces LEAD between 95.9% and 99% (ANSI/NSF 53)
- Reduces cryptosporidium and giardia CYSTS by 99.99% (ANSI/NSF 53)



**NSF** Tested and certified to NSF/ANSI Standard 53 for lead and cyst reduction. Tested and certified to NSF/ANSI Standard 42 for chlorine taste and odor reduction.

Order #	Part
033926-001	Kit for P8AM and P8AC
033926-002	Kit for Other Series
033879-001	Filter Cartridge Only for Replacement

Whether you choose direct-plumbed point-of-use or convenient bottle coolers, OASIS® offers options to satisfy every budget and fill every need – as well as every bottle and cup size. Innovative features provide versatility, ease of use, and helpful technology. In modern designs or simple classics, every model is built for reliable daily use.

### POINT-OF-USE AQUARIUS COUNTERTOP

#### Space-saving and Stylish

- Hot, cold, and room temp from one dispense point
- Polymer cabinet won't rust or scratch countertop
- Night light
- Stainless steel cooling reservoir and hot tank
- Extra high 11" dispense height makes it easy to fill large sport bottles
- Commercial cooling capacity; compressor-driven refrigeration system
- Removable drip tray



#### Model #: POU1ACTHSK



### POINT-OF-USE MIRAGE

#### Versatility and Innovative Features

- Tri-temp: hot, room, and cold
- Stainless steel reservoir and hot tank
- Dual dispense option lets users plumb directly to a water line or use 3-5 gallon water bottles
- Indicator lights for heating and cooling
- Push-button dispensing and easy activation
- Handle on back enables easy transport and placement



#### Model #: MIR311D-3



### POINT-OF-USE ARTESIAN

#### Reliable and Economical

- Available in hot n' cold
- Coated stainless steel panels resist fingerprints and smudges
- Stainless steel reservoir
- Handle on back enables easy transport and placement
- Dual mechanical float system with back-up safety operates even when the power is out
- Stainless steel hot tank



#### Model #: PWSA1SHS



### AQUARIUS BOTTLE

#### Modern and Easy to Use

- Hot, cold, and room temp from a single dispense point
- Polymer cabinet won't rust or scratch the floor
- Indicator lights for power, heating, and cooling
- Stainless steel cooling reservoir and hot tank
- Extra high 11" dispense height makes it easy to fill large sport bottles
- Commercial cooling capacity; compressor-driven refrigeration system
- Storage cabinet for extra bottle, cups, or other items
- Removable drip tray



#### Model #: BAE1SHSK



### ULTRA S BOTTLE

#### Sturdy with Modern Technology

- Pressure vessel direct-chill system combines with a specially designed CO2/water mixer for state-of-the-art chilling and carbonation performance
- Provides 22 x 6-oz. cups of CO2/cold water per hour (4 liters)
- Water carbonation level at 3.2-3.5 volumes, similar to leading bottled brands
- Can accommodate up to a 5-lb CO2 cylinder (not included)
- Features the WaterGuard® 7 with proprietary sealing mechanism; prevents floods caused by leaky bottles
- Electronic controls ensure easy start-up and consistent water flow
- Provides 45 x 6-oz. cups of hot water per hour



#### Model #: BU1PVECHS



### AQUARIUS BOTTOM LOAD BOTTLE

#### Contemporary and Stylish

- Bottom load, no lifting heavy bottles
- Hot, cold, and room temp from one dispense point
- Polymer cabinet won't rust or scratch the floor
- Indicator lights for power, heating, cooling, and empty bottle
- Stainless steel cooling reservoir and hot tank
- Extra high 11" dispense height makes it easy to fill large sport bottles
- Commercial cooling capacity; compressor-driven refrigeration system
- Removable drip tray



#### Model #: BAE1SHSK





**OASIS INTERNATIONAL**

222 East Campus View Blvd.  
Columbus, OH 43235

**[www.oasiscoolers.com](http://www.oasiscoolers.com)**

**1-800-646-2747**

**[info@oasiscoolers.com](mailto:info@oasiscoolers.com)**



Since 1910, OASIS International has focused on bringing refreshing water to the world. Since inventing the modern-day drinking fountain, the company has become the global leader in the design, manufacture, and distribution of clean drinking water systems. The company's offering includes bottle fillers, water coolers, bottleless coolers, under-counter coolers, dehumidifiers, and countless environmentally friendly products.

With an ongoing commitment to green thinking, OASIS sets out to change the world, one sip at a time.