

# **B1RR**

BOTTLE WATER COOLER



# **B1RR**

## **Special Features**

- REMOVABLE RESERVOIR
- Inside-Out cooling probe
- Efficient and proven technology
- High quality = longevity
- Great quality-performance-price ratio
- WaterGuard
- Range of hot tanks available

The original iconic design.

The blow-moulded polycarbonate cabinet provides maximum strength.

The 'inside-out' cooling probe design used throughout the entire range of REMOVABLE RESERVOIR coolers ensures a more efficient cooling method, conserving energy and eliminating condensation within the cooler.

WaterGuard offers protection against water leaks from cracked bottles and ensures that air-borne pollutants do not enter the reservoir

The self supporting cooler chassis can be quickly and easily removed from the cabinet to simplify the maintenance and servicing process. The REMOVABLE RESERVOIR system simplifies the sanitization process - just replace the water contact parts with pre-sanitized components. Requires no replacement of disposable parts or use of messy chemicals at your customer site.

Reusable Sanitization kits available for this model.

## Codes

- B1RRKY
- B1RRHSY

### Available Colours:

- White & Granite drip tray
- Grey & Black drip tray
- Stainless & Stainless drip tray













# **TECH SPEC**

| Product                            | B1RR              |                   |
|------------------------------------|-------------------|-------------------|
| Model                              | B1RRKY            | B1RRHSY           |
| Туре                               | Cook & Cold       | Hot & Cold        |
| Weight (kg)                        | 13.8              | 14.7              |
| Cold Tank Capacity (litres)        | 2.2               | 2.2               |
| Hot Tank Capacity (litres)         | -                 | 1.5               |
| Dimensions (cm)                    | 99.5h x 33w x 33d | 99.5h x 33w x 33d |
| Power consumption (Watts)          | 95                | 600               |
| Total Current (Amps)               | 0.8               | 2.4               |
| Cold Water Performance (litres/hr) |                   |                   |
| 21°C ambient                       | 5.9               | 5.2               |
| 27°C ambient                       | 4.2               | 3.1               |
| 32°C ambient                       | 2.5               | 2.2               |
| 38°C ambient                       | 1.7               | 1.5               |
| Hot Water Performance (litres/hr)  | -                 | 7.9               |

#### OASIS IRELAND

Bunree Industrial Estate, Ballina, Co. Mayo, Ireland, F26 D5R3. +353 96 71222

#### OASIS POLAND

ul.Gutenberga 20, 44-164, Gliwice, Poland +48 32 332 65 01

#### www.oasis.ie

info@oasis.ie