

## **B1TR**

**BOTTLE WATER COOLER** 



### **B1TR**

#### **Special Features**

- REMOVABLE RESERVOIR
- Inside-Out cooling probe
- Efficient and proven technology
- High quality = longevity
- Great quality-performance-price ratio
- FreshGuard
- Range of hot tanks available

The tall and elegant alternative to the standard water-cooler. Combined with a discrete waistline and an elongated oval water-dispense-area, the sleek accentuation of the **B1TR** is a modern and timeless design.

The 'inside-out' cooling probe design used throughout the entire range of REMOVABLE RESERVOIR coolers ensures a more efficient cooling method, conserving energy and eliminating condensation within the cooler.

FreshGuard offers protection against water leaks from cracked bottles and ensures that air-borne pollutants do not enter the reservoir

The self supporting cooler chassis can be quickly and easily removed from the cabinet to simplify the maintenance and servicing process. The REMOVABLE RESERVOIR system simplifies the sanitization process - just replace the water contact parts with pre-sanitized components. Requires no replacement of disposable parts or use of messy chemicals at your customer site.

Reusable Sanitization kits available for this model.

#### Codes

- B1TRKY
- B1TRHSY













# **TECH SPEC**

Product	B1TR	
Model	B1TRKY	B1TRHSY
Туре	Cook & Cold	Hot & Cold
Weight (kg)	15.5	16.5
Cold Tank Capacity (litres)	2.2	2.2
Hot Tank Capacity (litres)	-	1.5
Dimensions (cm)	112h x 38w x 34d	112h x 38w x 34d
Power consumption (Watts)	95	600
Total Current (Amps)	0.8	2.4
Cold Water Performance (litres/hr)		
21°C ambient	5.9	5.2
27°C ambient	4.2	3.1
32°C ambient	2.5	2.2
38°C ambient	1.7	1.5
Hot Water Performance (litres/hr)	-	7.9

#### **OASIS IRELAND**

Bunree Industrial Estate, Ballina, Co. Mayo, Ireland, F26 D5R3. +353 96 71222

#### **OASIS POLAND**

ul.Gutenberga 20, 44-164, Gliwice, Poland +48 32 332 65 01

www.oasis.ie info@oasis.ie