



P1TR

POINT-OF-USE COOLER



P1TR

Special Features

- One piece blow moulded cabinet
- Pressure Vessel Direct Chill cooling technology

The **P1TR** is OASIS's tall and elegant alternative to the standard POU. Combined with a discrete waistline and an elongated oval water-dispense-area, the sleek accentuation of the **P1TR** is a modern and timeless design.

This unit is easy to sanitise from the cabinetry to the large capacity drip tray, which is dishwasher safe.

OASIS Direct Chill Point of Use Coolers offer significant hygiene benefits. As the water enters the system, it passes into a pressure vessel and is chilled as it moves through the vessel to the point of dispense. This provides a consistent delivery of chilled water as the water does not come into contact with air until it is dispensed.

Codes

- P1TRKY

Colour Options

- Silver & Grey





TECH SPEC

Product	P1TR
Model	P1TRKY
Type	Cook & Cold
Weight (kg)	N/A
Cold Tank Capacity (litres)	1.5
Hot Tank Capacity (litres)	-
Dimensions (cm)	112h x 38w x 34d
Power consumption (Watts)	100
Total Current (Amps)	0.8
Cold Water Performance (litres/hr)	
21°C ambient	-
27°C ambient	-
32°C ambient	8
38°C ambient	-
Hot Water Performance (litres/hr)	-

OASIS IRELAND

Bunree Industrial Estate,
Ballina, Co. Mayo, Ireland,
F26 D5R3.
+353 96 71222

OASIS POLAND

ul. Gutenberga 20,
44-164, Gliwice, Poland
+48 32 332 65 01

www.oasis.ie

info@oasis.ie